Solicitation Notice

Buy Description: Furniture for Kabul University Reference Library

Solicitation Number: W5J9JE-11-T-0023

End Date: 16 June 2011 Eastern Standard Time at 11:00AM (or) 16 June 2011 Kabul Time at 7:30PM

<u>Purchase Description:</u> Brand Name or Equal

<u>Solicitation Method</u> – Open Market / Full and Open Competition through <u>www.fedBid.com</u> as a Combined Synopsis/Solicitation

This is a combined synopsis/solicitation for commercial items prepared in accordance with the format in FAR Subpart 12.6, in conjunction with FAR 13.5, as applicable, and as supplemented with additional information included in this notice. This announcement constitutes the only solicitation; bids are being requested and a written solicitation will not be issued. The solicitation number is W5J9JE-11-T-0023 and is issued as an invitation for bids (IFB), unless otherwise indicated herein. The solicitation document and incorporated provisions and clauses are those in effect through Federal Acquisition Circular FAC 2005-51. The associated North American Industrial Classification System (NAICS) code for this procurement is 337214 with a small business size standard of 500.00 employees. This requirement is unrestricted and only qualified offerors may submit bids. The solicitation pricing on www.FedBid.com will start on the date this solicitation is posted and will end on 2011-06-16 11:00:00.0 Eastern Time or as otherwise displayed at www.FedBid.com.

The U.S. Army Corps of Engineers - Middle East District requires the following items, Brand Name or Equal, to the following:

<u>**001 Stack Chair (With Tablet)-**</u> (Manufacturer) AMSCO, (Model) Acton Tablet Arm, (Frame) 5ChromeE, (Color) 8 Pomegranate E, (Specs) Sled Base, Non-Upholsteredcase hardened steel glides. This chair has Z-shaped frame design and contoured ergonomic seat and back. Sled Base, Non-Upholstered case hardened steel glides. The chairs specified with Tablet shall have a durable, mar-resistant laminate writing surface, capable of supporting 300 pounds. Components and Parts in this category shall be compatible and interchangeable. 673 EA

O02 Stack Chair (Without Tablet)- (Manufacturer) AMSCO, (Model) Acton Tablet Arm, (Frame) 5ChromeE, (Color) 8 Pomegranate E, (Specs) Sled Base, Non-Upholsteredcase hardened steel glides. This chair has Z-shaped frame design and contoured ergonomic seat and back. Sled Base, Non-Upholstered case hardened steel glides. The chairs specified with Tablet shall have a durable, mar-resistant laminate writing surface, capable of supporting 300 pounds. Components and Parts in this category shall be compatible and interchangeable. 170 EA

- <u>003 Reader Chair (Armless)</u> (Manufacturer) AMSCO, (Model) Acton Stacker, (Frame) 5ChromeE, Model #AS00601 & Model #AC0020. The chair shall have steel frame and contoured seat and back. The steel shall be formed with a 3/16" rolled-rim edge. The steel frame shall be constructed out of 7/16" solid rod, chrome plated. The back and the seat shall have TIGER Drylac powder coat. Components and Parts in this category shall be compatible and interchangeable. 80 EA
- <u>004 Chair Dolly (For Armless Reader Chair)</u> Steel structure in black finish, two fixed axle wheels and two swivel wheels to holds up to forty chairs. 4 EA
- <u>005 Arch. Adjustable Chair</u> (Manufacturer) AMSCO, (Model) #AS10601, (Color) Gray Fabric, (Specs) Acton Caster Base Stool w/ Foot Ring Grade 2 Fabric. Acton Caster Base Stool w/ Foot Ring Grade 2 Fabric. Components and Parts in this category shall be compatible and interchangeable. 150 EA
- <u>**006**</u> Stage Seating & Conference Chair Non-Upholstered- Features such as the ergonomic waterfall seat, pneumatic height adjustment and multi-contoured floating back. Strong tubular steel frame with integral arms, mar-resistant, textured polypropylene seat and back for durability. To Meets or to exceeds ANSI/BIFMA test requirements and ANSI/HFES standards. Components and Parts in this category shall be compatible and interchangeable with the Librarian Chair in CLIN 007. 50 EA
- **<u>007 Librarian Chair</u>** (Manufacturer) AMSCO, (Model)#AS00601 Acton Stool, (Color) 3 Dark Burgundy E 3 EA
- <u>008 Auditorium Chair</u> (Manufacturer) AMSCO, (Model) Stellar 224 Polypropylene High Back, (Color) Martini, FVC Pimento, (SPECS) Laminate end standards, 20" wide, 34 1/2 " Back Height 210 EA
- **O09 Parley Training Table (24 x 60)** (Manufacturer) AMSCO, (Model) Parley #RT2460, (Frame) Chrome E*, (Color) Y Steel Grey E, 3" Radius PVC Edge. 3mm Radius PVC Edge Model #RT2460 The flip and nesting tables shall incorporate following features: Ergonomically designed, the table to folds up and away from the user, pop-up desk-top power/data outlets, 3" lockable casters and a temporary linking device for setting tables in rows. Full width Perforated metal modesty panel, Cable and cord management and Linking mechanism. Some of the components, legs and Parts in this category shall be compatible and interchangeable with CLIN 010 & 011. 7 EA
- <u>010 Reader Table for 4, 36 x 72</u> (Manufacturer) AMSCO, (Model) Parley Collection #RT3672, (Frame) 5 Chrome, (Color) G Grey Taupe E. Rectangular folding table Radiance T-Legs. Some of the components, legs and Parts in this category shall be compatible and interchangeable CLIN 009 & 0011. 10 EA
- <u>011 Conference Table 36 x 84</u> (Manufacturer) AMSCO, (Model) Parley Collection #3648, (Color) G Grey Taupe E. Rectangular folding table Radiance T-Legs, Folding mechanism and Quick release tilt-top mechanism. Some of the components, legs and Parts in this category shall be compatible and interchangeable with CLIN 009 & 010. 3 EA
- <u>012 Reader Table for 4, 48" Round</u> (Manufacturer) AMSCO, (Model) Parley Collection #RD48, (Frame) 5 Chrome, (Color)G Grey Taupe E. round table, Quick-release flip-up mechanism Radiance X-Base with casters. 4 EA

- <u>013 Arch. Split Top Table -</u> (Manufacturer) Nationwide Drafting & Office, (Model) Mayline 7772, (Frame) Split Top, (Color) Steel Frame, with Locking tool Drawer 30 EA
- <u>O14 Lounge Chairs, Dell, Armchair, Leg Base</u> (Manufacturer)Gaylord (Model) 80 Natural Oak, (Color) Red Rose Shire Fabric, (Specs) Solid oak frame with durable fabric cushions. Seats to be firm, fire-retardant polyurethane foam over a strong wire spring foundation; backs are to be supported by Propex webbing. Joints to be double-doweled, pressure-glued and reinforced with screws for maximum strength. provide Heavy-duty glides protect floors. Durable fabric meets CAL TB117 fire code. 24 EA
- <u>015 Low Reader Table for 4</u> (Manufacturer)Gaylord (Model) WW-HT5920, (Color) 06 Cherry, 18 1/4H x 52W x 33"D, Tapered-leg steel base with protective floor caps. Steel has a brushed-aluminum powder-coated finish. 6 EA
- <u>O16 Circulation Desk</u> (Manufacturer)Gaylord (Model) WW-BCARRGT4-06, (Color) 06 Cherry, (Color) Hunter Green D79-60, Package includes 13 components:BCTBLPR: Right-facing consultation tableBCFDUTT: 39"H Cabinet with 4 full drawersBCCORF90TT: 39"H Bi-level extended corner unitBCCN72: 72"W Bi-level deskB3SP1FFL: PedestalBC3SP1B3L: PedestalBCCN36: 39H x 36"W Bi-level deskBCCORF90TT: 39"H Bi-level extended corner unitBCBRU: 39"H Book return unitBC61: Book cartBCEP39: Finished end panelBCEPTT (2): Finished end panels. Circulation desk layouts can range from the simplest straight arrangement to customized angular, curved, circular, or even elliptical configurations through the selection of standard modules. Each work surface is made of 1 1/4" thick high-pressure laminate that is resistant to scrapes, stains and UV discoloration. Desktops are 30"D and overhang 1/2" at front and back. Toe base and reveals are painted black. 1 EA
- <u>017 Double Face Heavy Duty High Shelve (15' Long)(5)3'-0" units combo</u> (Manufacturer) Tennsco 15'-0" LONG, Light Gray, 7' 6" h x 3'0"x 24" Depth (5) unit segment, freestanding, double-faced section with center stop, each unit with 6 Sliding wire Divider. 10 EA
- **<u>018 Single Sided Heavy Duty High Shelve (15' Long)(5)3'-0" units combo</u> Manufacturer) Tennsco 15'-0" LONG, Light Gray, 7' 6" h x3'0" Widex 12" Depth(5) unit Segment, 15'-0" w, freestanding, single faced section with twelve 12" nominal adjustable shelves, 5 EA**
- <u>O19 Double Face Heavy Duty Low Shelve (10'6" Long)(5)3'-0" units combo</u> Manufacturer) Tennsco ,Sand, Wood Side panels and Top, 3'-6" h x 3'6"w x 24" Depth (3) unit segment, freestanding, double-faced section with center stop, each unit with 6 Sliding wire Divider. With wood top and side panels. 10 EA

***Question Submission:

Interested offerors must submit any questions concerning the solicitation at the earliest time possible to enable the Buyer to respond. Questions must be submitted by using the 'Submit a Question' feature at www.fedbid.com. Questions not received within a reasonable time prior to close of the solicitation may not be considered.***

For this solicitation, U.S. Army Corps of Engineers - Middle East District intends to conduct an online competitive reverse auction to be facilitated by the third-party reverse auction provider, FedBid, Inc. FedBid has developed an online, anonymous, browser based application to conduct the reverse auction. An Offeror may submit a series of pricing bids, which descend in price during the specified period of time for the aforementioned reverse auction. U.S. Army Corps of Engineers - Middle East District is taking this action in an effort to improve both vendor access and awareness of requests and the agency's ability to gather multiple, competed, real-time bids. All responsible Offerors that respond to this solicitation MUST submit the pricing portion of their bid using the online exchange located at www.FedBid.com. There is no cost to register, review procurement data or make a bid on www.FedBid.com. Offerors that are not currently registered to use www.FedBid.com should proceed to www.FedBid.com to complete their free registration. Offerors that require special considerations or assistance may contact the FedBid Helpdesk at 877-9FEDBID (877-933-3243) or via email at clientservices@fedbid.com. Offerors may not artificially manipulate the price of a transaction on www.FedBid.com by any means. It is unacceptable to place bad faith bids, to use decoys in the www.FedBid.com process or to collude with the intent or effect of hampering the competitive www.FedBid.com process. Should offerors require additional clarification, notify the point of contact or FedBid at 877-9FEDBID (877-933-3243) or clientservices@fedbid.com. Use of FedBid: Buyers and Sellers agree to conduct this transaction through FedBid in compliance with the FedBid Terms of Use. Failure to comply with the terms listed in the solicitation within www.FedBid.com may result in offer being determined as non-responsive.

If interested, go to www.FedBid.com under Buy# 253019 to view additional solicitation details and provide a bid. Bids are ONLY going to be received through www.FedBid.com and will not be received in any other manner.

Additional Info:

www.fedbid.com (b-253019, n-51467)

Contracting Office Address:

Qalaa House

USACE AEN, Kabul,

Point of Contact(s):

Name: Scott Barnhart, Contract Specialist,

Phone: (540) 678-3020

Email: scott.barnhart@usace.army.mil